

Standard Form Number: SF-GOOD-56  
Revised on: August 11, 2004

GOODS 2020-004  
Control Panels for Mabolo Reservoir, Capilihan,  
Carolina 1, Cararayan 3, and San Isidro 1 PS  
P.R. No. 20-08-0327  
MNWD, Naga City

## NOTICE TO PROCEED

December 10, 2020

**MR. ROLANDO S. IRABAGON**  
General Manager  
EMI Industrial Corporation  
16-C Silva Apartment, Aguinaldo Hi-Way,  
San Agustin 2, Dasmarinas, Cavite


**Dear Mr. Irabagon:**

The attached Purchase Order having been approved with a Contract Price equivalent to **ONE MILLION FIVE HUNDRED FIFTY-ONE THOUSAND FIVE HUNDRED NINETY PESOS (Php 1,551,590.00)** Only, notice is hereby given to EMI Industrial Corporation, that work may commence on the **Supply, Delivery, and Installation of Brand New Control Panels at Mabolo Reservoir, Capilihan, Carolina 1, Cararayan 3, and San Isidro 1 Pumping Stations (GOODS 2020-004)** upon receipt of this notice.

Upon receipt of this notice, you are responsible for performing the services under the terms and conditions of the Agreement and in accordance with the Implementation Schedule.

Please acknowledge receipt and acceptance of this notice by signing both copies in the space provided below. Keep one copy and return the others to the Metropolitan Naga Water District.

Very truly yours,

  
**JORGE T. PALMA**  
Head of the Procuring Entity  
Chairman, Board of Directors  
12/16/20


I acknowledge receipt of this Notice on:

DEC. 21, 2020

Name of the Representative of the Bidder:

Rolando S. Irabagon

Signature:



*"Water is life, save it."*



Republic of the Philippines  
**METROPOLITAN NAGA WATER DISTRICT**  
 40 J. Miranda Avenue, Naga City

**PURCHASE ORDER**

Supplier: **EMI INDUSTRIAL CORPORATION**P.O. No.: **20-12-0382**Address: **DASMARIÑAS, CAVITE**Date: **December 7, 2020**TIN: **;**PR No: **20-08-0327**Mode of Procurement: **PUBLIC BIDDING**Date: **August 14, 2020**

Gentlemen:

Please furnish this office the following articles subject to the terms and conditions contained herein:


Place of Delivery: **FOB MNWD, Naga City**Payment: ☐ Deposit with Bank charge of P100.00 for Landbank AccountDate of Delivery: **Ninety (90) Calendar Days upon receipt**☒ Deposit for other Bank AccountsPayment Terms: **Thirty (30) Calendar Days upon completion**☐ Pick-up

Item No.	Stock No.	Unit	Description	Quantity	Unit Cost	Amount
1		lots	<b>SUPPLY, DELIVERY &amp; INSTALLATION OF BRAND NEW CONTROL PANELS</b> <b>Capilihan Pumping Station &amp; Mabolo Reservoir</b> Variable Frequency Drive, 40 HP, 460V 3 Phase Brand: ALLEN-BRADLEY Country of Origin: USA Powerflex 400 AC Drive, 40 HP (30 KW), 460 VAC, 3 Phase, 60 Amps, Frame Size D, IP30 (NEMA 1/UL Type 1) with Remote Panel Mount HIM (Cat. #: 22-HIM-C2S-Powerflex Component Class IP66 [NEMA 4x / 12] Remote DSI LCD HIM) Including the following items: Accessories: 3P MCCB, 2 x 3AT 2P MCB, HRC Fuse, Surge Protector 3P 460V, Control Transformer, Line Contractor, Auto-Off-Man, Selector Switch, 1-set START/STOP/RESET illuminated push button, 1 set AUTO/MANUAL indication pilot light, 1 unit Float less relay, 3 Auxilliary relays, Chlorinator START Contractor (12A/4P, 2NO/2NC), terminal block & associated Manual Transfer "CONTACTPLASMA" Rotary type manual Switch (MTS): transfer switch Panel: IP65, in-door, wall mounted type, gasketed, wrinkled, using epoxy powder paint oven baked, c/w viewing glass, direct exhaust duct system, door, lock & hinges	2	289,078.00	P 578,156.00
SUB-TOTAL						P 578,156.00

In case of failure to make the full delivery within the time specified above, the maximum allowable time extension shall be fifteen (15) calendar days and a penalty of one-tenth (1/10) of one percent for every day of delay shall be imposed. Non-completion of delivery within the allotted time extension shall automatically cancel this contract


Very truly yours,


Conforme:

  
**Rolando S. Irubagon**  
 Signature over Printed Name of Supplier
Date: **DECEMBER 21, 2020**
  
**JON LOUIE A. SANCHEZ**  
 Department Manager A

Funds Available:

Approved by:

  
**MARIA CYRIL A. CABALLERO**  
 Cashiering Services Chief B / OIC, Division Manager - FMD

  
**VIRGILIO B. LUANSING I**  
 General Manager A



Republic of the Philippines  
**METROPOLITAN NAGA WATER DISTRICT**  
 40 J. Miranda Avenue, Naga City

**PURCHASE ORDER**

Supplier: **EMI INDUSTRIAL CORPORATION**P.O. No.: **20-12-0382**Address: **DASMARIÑAS, CAVITE**Date: **December 7, 2020**

TIN: \_\_\_\_\_

PR No.: **20-08-0327**Mode of Procurement: **PUBLIC BIDDING**Date: **August 14, 2020**

Gentlemen:

Please furnish this office the following articles subject to the terms and conditions contained herein:


Place of Delivery: **FOB MNWD, Naga City**Payment: ☐ Deposit with Bank charge of P 100.00 for Landbank AccountDate of Delivery: **Ninety (90) Calendar Days upon receipt**☒ Deposit for other Bank AccountsPayment Terms: **Thirty (30) Calendar Days upon completion**☐ Pick-up

Item No.	Stock No.	Unit	Description	Quantity	Unit Cost	Amount
			Pressure Transmitter: Brand: "WIKA"(Germany), Pressure Range: 0-16 Bars (232 psi), Output Signal: 4-20mA, c/w signal cable & syphon pipe.  Cabling Works: Price includes cabling works from & to existing control panel, site installation, testing, commissioning & actual site training.  Technical Specifications: 1. Unit must be brand new and shall conforms with global safety standards CE, UL, EN/IEC 2. Provide hardcopy or soft copy of VFD Manuals and circuit diagram upon commissioning 3. The enclosure shall be IP21 or higher, powder coated based finished using epoxy powder paint oven baked 4. Equipped with (1) one unit rotary type manual transfer switch rated in amperes for switching to back-up panel. 5. The enclosure must be equipped with (4) four cooling fans: (2) two for intake (2) two for outtake 6. All wirings, conduits and other electrical materials needed for the installation of unit to and from tapping point shall be borne by the supplier. 7. Pressure transmitter shall be 0-10 bars, 4-20ma and 1/2" NPT female connection to siphon loop and shall include installation of plumbing materials to and from tapping point by the supplier.			

In case of failure to make the full delivery within the time specified above, the maximum allowable time extension shall be fifteen (15) calendar days and a penalty of one-tenth (1/10) of one percent for every day of delay shall be imposed. Non-completion of delivery within the allotted time extension shall automatically cancel this contract


Very truly yours,


Conforme:

  
 Rolando S. Trabagon  
 Signature over Printed Name of Supplier
Date: **DECEMBER 21, 2020**
  
 JON LOUIE A. SANCHEZ  
 Department Manager

Funds Available:

Approved by:

  
 MARIA CYRIL A. CABALLERO  
 Cashiering Services Chief B / OIC, Division Manager - FMD

  
 VIRGILIO B. LUANSING I  
 General Manager A



Republic of the Philippines  
**METROPOLITAN NAGA WATER DISTRICT**  
 40 J. Miranda Avenue, Naga City

**PURCHASE ORDER**Supplier: **EMI INDUSTRIAL CORPORATION**P.O. No.: **20-12-0382**Address: **DASMARINAS, CAVITE**Date: **December 7, 2020**

TIN :

PR No.: **20-08-0327**Mode of Procurement: **PUBLIC BIDDING**Date: **August 14, 2020**

Gentlemen:

Please furnish this office the following articles subject to the terms and conditions contained herein:

Place of Delivery: **FOB MNWD, Naga City**Payment: ☐ Deposit with Bank charge of P 100.00 for Landbank AccountDate of Delivery: **Ninety (90) Calendar Days upon receipt**☒ Deposit for other Bank AccountsPayment Terms: **Thirty (30) Calendar Days upon completion**☐ Pick-up

Item No.	Stock No.	Unit	Description	Quantity	Unit Cost	Amount
2		lot	8. Unit must be equipped with a 3 phase surge protective device 9. The unit must be equipped with an analog/digital voltmeter, ammeter and hourmeter reading located outside the panel 10. The unit shall be equipped with a removable (8) eight key keypad tactical response LCD display with capable functions showing output status monitoring, display speed control, parameter setting and display, diagnostic and fault log display, motor run, local/remote toggle and graphical monitoring. <b>Carolina 1 Pumping Station</b> Variable Frequency Drive, 60 HP, 460V 3 Phase Brand: ALLEN-BRADLEY Country of Origin: USA Powerflex 400 AC Drive, 60 HP (45 KW), 460 VAC, 3 Phase, 88 Amps, Frame Size E, IP30 (NEMA 1/UL Type 1) with Remote Panel Mount HIM (Cat. #: 22-HIM-C25-Powerflex Component Class IP66 [NEMA 4x / 12] Remote DSI LCD HIM) including the following items: Accessories: 3P MCCB, 2 x 3AT 2P MCB, HRC Fuse, Surge Protector 3P 460V, Control Transformer, Line Contractor, Auto-Off-Man, Selector Switch, 1-set START/STOP/RESET illuminated push button, 1 set AUTO/MANUAL indication pilot light, 1 unit Float less relay, 3 Auxilliary relays, Chlorinator START Contractor (12A/4P, 2NO/2NC), terminal block & associated accessories	1	391,094.00	P 391,094.00

SUB-TOTAL P 391,094.00

In case of failure to make the full delivery within the time specified above, the maximum allowable time extension shall be fifteen (15) calendar days and a penalty of one-tenth (1/10) of one percent for every day of delay shall be imposed. Non-completion of delivery within the allotted time extension shall automatically cancel this contract

Very truly yours,

Conforme:

Signature over Printed Name of Supplier

**Rolando S. Inabagon**Date: **DECEMBER 21, 2020****JON LOUIE A. SANCHEZ**

Department Manager

Funds Available:

Approved by:

**MARIA CYRIL A. CABALLERO**

Cashiering Services Chief B / OIC, Division Manager - FMD

**VIRGILIO B. LUANSING I**

General Manager A



Republic of the Philippines  
**METROPOLITAN NAGA WATER DISTRICT**  
 40 J. Miranda Avenue, Naga City

**PURCHASE ORDER**

Supplier: **EMI INDUSTRIAL CORPORATION**P.O. No.: **20-12-0382**Address: **DASMARINAS, CAVITE**Date: **December 7, 2020**

TIN:

PR No.: **20-08-0327**Mode of Procurement: **PUBLIC BIDDING**Date: **August 14, 2020**

Gentlemen:

Please furnish this office the following articles subject to the terms and conditions contained herein:


Place of Delivery: **FOB MNWD, Naga City**Payment: ☐ Deposit with Bank charge of P 100.00 for Landbank AccountDate of Delivery: **Ninety (90) Calendar Days upon receipt**☒ Deposit for other Bank AccountsPayment Terms: **Thirty (30) Calendar Days upon completion**☐ Pick-up

Item No.	Stock No.	Unit	Description	Quantity	Unit Cost	Amount
			Manual Transfer "CONTCTPLASMA" Rotary type manual Switch (MTS): transfer switch Panel: IP65, in-door, wall mounted type, gasketed, wrinkled, using epoxy powder paint oven baked, c/w viewing glass, direct exhaust duct system, door, lock & hinges  Pressure Brand: "WIKI"(Germany), Pressure Range: 0-16 Transmitter: Bars (232 psi), Output Signal: 4-20mA, c/w signal cable & syphon pipe.  Cabling Price includes cabling works from & to existing Works: control panel, site installation, testing, commissioning & actual site training.  <i>Technical Specifications:</i> 1. Unit must be brand new and shall conforms with global safety standards CE, UL, EN/IEC 2. Provide hardcopy or soft copy of VFD Manuals and circuit diagram upon commissioning 3. The enclosure shall be IP21 or higher, powder coated based finished using epoxy powder paint oven baked 4. Equipped with (1) one unit rotary type manual transfer switch rated in amperes for switching to back-up panel. 5. The enclosure must be equipped with (4) four cooling fans: (2) two for intake (2) two for outtake			

In case of failure to make the full delivery within the time specified above, the maximum allowable time extension shall be fifteen (15) calendar days and a penalty of one-tenth (1/10) of one percent for every day of delay shall be imposed. Non-completion of delivery within the allotted time extension shall automatically cancel this contract

Very truly yours,

Conforme:




Signature over Printed Name of Supplier

Date: **DECEMBER 21, 2020**  
JON LOUIE A. SANCHEZ


Department Manager A

Funds Available:

Approved by:



Cashiering Services Chief B / OIC, Division Manager - FMD

  
VIRGILIO B. LUANSING I

General Manager A



Republic of the Philippines  
**METROPOLITAN NAGA WATER DISTRICT**  
 40 J. Miranda Avenue, Naga City

**PURCHASE ORDER**Supplier: **EMI INDUSTRIAL CORPORATION**P.O. No.: **20-12-0382**Address: **DASMARIÑAS, CAVITE**Date: **December 7, 2020**

TIN:

PR No.: **20-08-0327**Mode of Procurement: **PUBLIC BIDDING**Date: **August 14, 2020**

Gentlemen:

Please furnish this office the following articles subject to the terms and conditions contained herein:

Place of Delivery: **FOB MNWD, Naga City**Payment: ☐ Deposit with Bank charge of P100.00 for Landbank AccountDate of Delivery: **Ninety (90) Calendar Days upon receipt**☒ Deposit for other Bank AccountsPayment Terms: **Thirty (30) Calendar Days upon completion**☐ Pick-up

Item No.	Stock No.	Unit	Description	Quantity	Unit Cost	Amount
3		lot	<p>6. All wirings, conduits and other electrical materials needed for the installation of unit to and from tapping point shall be borne by the supplier.</p> <p>7. Pressure transmitter shall be 0-10 bars, 4-20ma and 1/2" NPT female connection to siphon loop and shall include installation of plumbing materials to and from tapping point by the supplier.</p> <p>8. Unit must be equipped with a 3 phase surge protective device</p> <p>9. The unit must be equipped with an analog/digital voltmeter, ammeter and hourmeter reading located outside the panel</p> <p>10. The unit shall be equipped with a removable (8) eight key keypad tactical response LCD display with capable functions showing output status monitoring, display speed control, parameter setting and display, diagnostic and fault log display, motor run, local/remote toggle and graphical monitoring.</p> <p><b>Cararayan 3 Pumping Station</b></p> <p>Soft Starter, 40 HP, 460V 3 Phase</p> <p>Brand: ALLEN-BRADLEY</p> <p>Country of Origin: USA</p> <p>SMC Flex Soft Starter, 40 HP (30 KW), 460 VAC, 3 Phase, 60 Amps., SMC-Flex, Solid State Controller, Open, 60 A, 10 ... 40 Hp @ 460 VAC, Input Volt: 200 ... 480V, Control Volt: 100 ... 240 VAC with Remote Panel Mount HIM (Cat#: 20-HIM-C3S, IP66 (Nema 4x / 12) Remote DPI Full Numeric LCD HIM c/w 1202-C30 cable) including the following items:</p>	1	235,422.00	F 235,422.00
SUB-TOTAL P						235,422.00

In case of failure to make the full delivery within the time specified above, the maximum allowable time extension shall be fifteen (15) calendar days and a penalty of one-tenth (1/10) of one percent for every day of delay shall be imposed. Non-completion of delivery within the allotted time extension shall automatically cancel this contract

Very truly yours,

Conforme:

Signature over Printed Name of Supplier

Date: **DECEMBER 21, 2020**

Funds Available:

**MARIA CYRIL A. CABALLERO**  
 Cashiering Services Chief B / OIC, Division Manager - FMD

Approved by:

**VIRGILIO B. LUANSING I**  
 General Manager A



Republic of the Philippines  
**METROPOLITAN NAGA WATER DISTRICT**  
 40 J. Miranda Avenue, Naga City

**PURCHASE ORDER**

Supplier: **EMI INDUSTRIAL CORPORATION**P.O. No.: **20-12-0382**Address: **DASMARIÑAS, CAVITE**Date: **December 7, 2020**

TIN: \_\_\_\_\_

PR No.: **20-08-0327**Mode of Procurement: **PUBLIC BIDDING**Date: **August 14, 2020**

Gentlemen:

Please furnish this office the following articles subject to the terms and conditions contained herein:

Place of Delivery: **FOB MNWD, Naga City**Payment: ☐ Deposit with Bank charge of ₱ 100.00 for Landbank AccountDate of Delivery: **Ninety (90) Calendar Days upon receipt**☒ Deposit for other Bank AccountsPayment Terms: **Thirty (30) Calendar Days upon completion**☐ Pick-up

Item No.	Stock No.	Unit	Description	Quantity	Unit Cost	Amount
			<b>Accessories:</b> 3P MCCB, 2 x 3AT 2P MCB, HRC Fuse, Surge Protector 3P 460V, Control Transformer, Line Contactor, Auto-Off-Man, Selector Switch, 1 set START/STOP/RESET illuminated push button, 1 set AUTO/MANUAL indication pilot light, 1 unit Float less relay, 3-Auxiliary relays, Chlorinator START Contactor (12A / 4P, 2NO / 2NC) terminal block & associated accessories  <b>Manual Transfer Switch (MTS):</b> "CONTACTPLASMA" Rotary type manual transfer switch  <b>Panel:</b> IP65, in-door, wall mounted type, gasketed, wrinkled, using epoxy powder paint oven baked, c/w viewing glass, direct exhaust duct system, door, lock & hinges  <b>Pressure Switch:</b> Pressure Range: 0-10 Bars (0-145 psi), Differential Pressure: 1-4 Bars (15-60 psi), Process Connection: 1/2 male NPT, including syphon pipe.  <b>Cabling Works:</b> Price includes cabling works from & to existing control panel, site installation, testing, commissioning & actual site training.  <b>Technical Specifications:</b> 1. Unit must be brand new and shall conforms with global safety standards CE, UL, EN/IEC 2. Provide hardcopy or soft copy of VFD Manuals and circuit diagram upon commissioning 3. The enclosure shall be IP21 or higher, powder coated based finished using epoxy powder paint oven baked			

In case of failure to make the full delivery within the time specified above, the maximum allowable time extension shall be fifteen (15) calendar days and a penalty of one-tenth (1/10) of one percent for every day of delay shall be imposed. Non-completion of delivery within the allotted time extension shall automatically cancel this contract

Very truly yours,

Conforme:

Signature over Printed Name of Supplier

Date: **DECEMBER 21, 2020**

Funds Available:

Approved by:

MARIA CYRIL A. CABALLERO

Cashiering Services Chief B / OIC, Division Manager - FMD

VIRGILIO B. LUANSING I

General Manager A



Republic of the Philippines  
**METROPOLITAN NAGA WATER DISTRICT**  
 40 J. Miranda Avenue, Naga City

**PURCHASE ORDER**

Supplier: **EMI INDUSTRIAL CORPORATION**

Address: **DASMARINAS, CAVITE**

TIN :

Mode of Procurement: **PUBLIC BIDDING**

P.O. No.: **20-12-0382**

Date: **December 7, 2020**

PR No.: **20-08-0327**

Date: **August 14, 2020**

Gentlemen:

Please furnish this office the following articles subject to the terms and conditions contained herein:

Place of Delivery: **FOB MNWD, Naga City**

Payment: ☐ Deposit with Bank charge of P 100.00 for Landbank Account

Date of Delivery: **Ninety (90) Calendar Days upon receipt**

☒ Deposit for other Bank Accounts

Payment Terms: **Thirty (30) Calendar Days upon completion**

☐ Pick-up

Item No.	Stock No.	Unit	Description	Quantity	Unit Cost	Amount
			4. Equipped with (1) one unit rotary type manual transfer switch rated in amperes for switching to back-up panel. 5. The enclosure must be equipped with (4) four cooling fans: (2) two for intake (2) two for outtake 6. All wirings, conduits and other electrical materials needed for the installation of unit to and from tapping point shall be borne by the supplier. 7. Pressure Switch must be equipped with two (2) adjustable pressure limits for the differential (10-22 psi range / 80-160 kpa range) and main (10-150 psi range / 70-1000 kpa range) with 1/2" NPT female connection to siphon loop and shall include installation of plumbing materials to and from tapping point by the supplier. 8. Unit must be equipped with a 3 phase surge protective device 9. The unit must be equipped with an analog/digital voltmeter, ammeter and hourmeter reading located outside the panel 10. The unit shall be equipped with a removable (8) eight key keypad tactical response LCD display with capable functions showing output status monitoring, display speed control, parameter setting and display, diagnostic and fault log display, motor run, local/remote toggle and graphical monitoring.			

In case of failure to make the full delivery within the time specified above, the maximum allowable time extension shall be fifteen (15) calendar days and a penalty of one-tenth (1/10) of one percent for every day of delay shall be imposed. Non-completion of delivery within the allotted time extension shall automatically cancel this contract

Very truly yours,

Conforme:

*Rolando S. Trabagon*  
 Signature over Printed Name of Supplier

Date: **DECEMBER 21, 2020**

*JON LOUIE A. SANCHEZ*  
 Department Manager

Funds Available:

Approved by:

*MARIA CYRIL A. CABALLERO*  
 Cashiering Services Chief B / OIC, Division Manager - FMD

*VIRGILIO B. LUANSING I*  
 General Manager A



Republic of the Philippines  
**METROPOLITAN NAGA WATER DISTRICT**  
 40 J. Miranda Avenue, Naga City

**PURCHASE ORDER**

Supplier: **EMI INDUSTRIAL CORPORATION**P.O. No.: **20-12-0382**Address: **DASMARIÑAS, CAVITE**Date: **December 7, 2020**

TIN:

PR No.: **20-08-0327**Mode of Procurement: **PUBLIC BIDDING**Date: **August 14, 2020**

Gentlemen:

Please furnish this office the following articles subject to the terms and conditions contained herein:

Place of Delivery: **FOB MNWD, Naga City**Payment: ☐ Deposit with Bank charge of ₱ 100.00 for Landbank AccountDate of Delivery: **Ninety (90) Calendar Days upon receipt**☒ Deposit for other Bank AccountsPayment Terms: **Thirty (30) Calendar Days upon completion**☐ Pick-up

Item No.	Stock No.	Unit	Description	Quantity	Unit Cost	Amount
4		lot	<b>San Isidro 1 Pumping Station</b> Soft Starter, 100 HP, 460V 3 Phase Brand: ALLEN-BRADLEY Country of Origin: USA SMC Flex Soft Starter, 100 HP (75 KW), 460 VAC, 3 Phase, 135 Amps., SMC-Flex, Solid State Controller, Open, 135 A, 25 . . . 100 Hp @ 460 VAC, Input Volt: 200 . . . 480V, Control Volt: 100 . . . 240 VAC with Remote Panel Mount HIM (Cat#: 20-HIM-C3S, IP66 (Nema 4x / 12) Remote DPI Full Numeric LCD HIM c/w 1202-C30 cable) including the following items: Accessories: 3P MCCB, 2 x 3AT 2P MCB, HRC Fuse, Surge Protector 3P 460V, Control Transformer, Line Contactor, Auto-Off-Man, Selector Switch, 1 set START/STOP/RESET illuminated push button, 1 set AUTO/MANUAL indication pilot light, 1 unit Float less relay, 3-Auxiliary relays, Chlorinator START Contactor (12A / 4P, 2NO / 2NC) terminal block & associated accessories Manual Transfer Switch (MTS): "CONTCTPLASMA" Rotary type manual transfer switch Panel: IP65, in-door, wall mounted type, gasketed, wrinkled, using epoxy powder paint oven baked, c/w viewing glass, direct exhaust duct system, door, lock & hinges	1	346,918.00	F 346,918.00

ONE MILLION FIVE HUNDRED FIFTY ONE THOUSAND FIVE

SUB-TOTAL

346,918.00

HUNDRED NINETY PESOS ONLY

TOTAL ₱ 1,551,590.00

In case of failure to make the full delivery within the time specified above, the maximum allowable time extension shall be fifteen (15) calendar days and a penalty of one-tenth (1/10) of one percent for every day of delay shall be imposed. Non-completion of delivery within the allotted time extension shall automatically cancel this contract

Very truly yours,

Conforme:

Signature over Printed Name of Supplier

JON LOUIE A. SANCHEZ

Department Manager A

Date: **DECEMBER 21, 2020**

Funds Available:

Approved by:

**MARIA CYRIL A. CABALLERO**  
 Cashiering Services Chief B / OIC, Division Manager - FMD

**VIRGILIO B. LUANSING I**  
 General Manager A



Republic of the Philippines  
**METROPOLITAN NAGA WATER DISTRICT**  
 40 J. Miranda Avenue, Naga City

**PURCHASE ORDER**

Supplier: **EMI INDUSTRIAL CORPORATION**Address: **DASMARIÑAS, CAVITE**

TIN :

Mode of Procurement: **PUBLIC BIDDING**P.O. No.: **20-12-0382**Date : **December 7, 2020**PR No : **20-08-0327**Date : **August 14, 2020**

Gentlemen :

Please furnish this office the following articles subject to the terms and conditions contained herein:

Place of Delivery: **FOB MNWD, Naga City**Payment: ☐ Deposit with Bank charge of P 100.00 for Landbank AccountDate of Delivery: **Ninety (90) Calendar Days upon receipt**☒ Deposit for other Bank AccountsPayment Terms: **Thirty (30) Calendar Days upon completion**☐ Pick-up

Item No.	Stock No.	Unit	Description	Quantity	Unit Cost	Amount
			Pressure Switch: Pressure Range: 0-10 Bars (0-145 psi), Differential Pressure: 1-4 Bars (15-60 psi), Process Connection: 1/2 male NPT, including syphon pipe.			
			Cabling Works: Price includes cabling works from & to existing control panel, site installation, testing, commissioning & actual site training.			
			Technical Specifications: 1. Unit must be brand new and shall conforms with global safety standards CE, UL, EN/IEC 2. Provide hardcopy or soft copy of VFD Manuals and circuit diagram upon commissioning 3. The enclosure shall be IP21 or higher, powder coated based finished using epoxy powder paint oven baked 4. Equipped with (1) one unit rotary type manual transfer switch rated in amperes for switching to back-up panel. 5. The enclosure must be equipped with (4) four cooling fans: (2) two for intake (2) two for outtake 6. All wirings, conduits and other electrical materials needed for the installation of unit to and from tapping point shall be borne by the supplier. 7. Pressure Switch must be equipped with two (2) adjustable pressure limits for the differential (10-22 psi range / 80-160 kpa range) and main (10-150 psi range / 70-1000 kpa range) with 1/2 Ø NPT female connection to siphon loop and shall include installation of plumbing materials to and from tapping point by the supplier 8. Unit must be equipped with a 3 phase surge protective device			

In case of failure to make the full delivery within the time specified above, the maximum allowable time extension shall be fifteen (15) calendar days and a penalty of one-tenth (1/10) of one percent for every day of delay shall be imposed. Non-completion of delivery within the allotted time extension shall automatically cancel this contract

Conforme:

Signature over Printed Name of Supplier

Date : **DECEMBER 21, 2020**

Very truly yours.

**JON EDIE A. SANCHEZ**

Department Manager

Funds Available:

Approved by:

**MARIA CYRIL A. CABALLERO**

Cashiering Services Chief B/ OIC, Division Manager - FMD

**VIRGILIO B. LUANSING I**

General Manager A



Republic of the Philippines  
**METROPOLITAN NAGA WATER DISTRICT**  
 40 J. Miranda Avenue, Naga City

**PURCHASE ORDER**Supplier: **EMI INDUSTRIAL CORPORATION**Address: **DASMARINAS, CAVITE**

TIN :

Mode of Procurement: **PUBLIC BIDDING**P.O. No. : **20-12-0382**Date : **December 7, 2020**PR No : **20-08-0327**Date : **August 14, 2020**

Gentlemen :

Please furnish this office the following articles subject to the terms and conditions contained herein:

Place of Delivery: **FOB MNWD, Naga City**Date of Delivery: **Ninety (90) Calendar Days upon receipt**Payment Terms: **Thirty (30) Calendar Days upon completion**Payment: ☐ Deposit with Bank charge of P 100.00 for Landbank Account☒ Deposit for other Bank Accounts☐ Pick-up

Item No.	Stock No.	Unit	Description	Quantity	Unit Cost	Amount
			9. The unit must be equipped with an analog/digital voltmeter, ammeter and hourmeter reading located outside the panel 10. The unit shall be equipped with a removable (8) eight key keypad tactical response LCD display with capable functions showing output status monitoring, display speed control, parameter setting and display, diagnostic and fault log display, motor run, local/remote toggle and graphical monitoring. <b>Technical Requirements:</b> 1. Conduct free training and transfer of technology on handling and troubleshooting of equipment by MNWD personnel upon commissioning 2. The unit must be certified SCADA ready. 3. The unit must conform with the existing 3 Phase Power Supply by the Local Utility Company  Warranty: <b>One (1) year</b> Purpose: <b>Brand New Control Panels For Capilihan, Mabolo Reservoir, Carolina 1, Cararayan 3 &amp; San Isidro 1 Pumping Stations</b> Department: <b>Production - WPEMD</b>			

In case of failure to make the full delivery within the time specified above, the maximum allowable time extension shall be fifteen (15) calendar days and a penalty of one-tenth (1/10) of one percent for every day of delay shall be imposed. Non-completion of delivery within the allotted time extension shall automatically cancel this contract

Very truly yours,

Inform:

Signature over Printed Name of Supplier

**DECEMBER 21, 2020**

Funds Available:

**MARIA CYRIL A. CABALLERO**  
 Cashiering Services Chief B / OIC, Division Manager - FMD

Approved by:

**VIRGILIO B. LUANSING I**  
 General Manager A