

[My PhilGEPS](#) | [My Organization](#) | [My Profile](#) | [Opportunities](#) | [Catalogue](#) | [Directory](#) | [About PhilGEPS](#)
[Pending Task](#) | [Notices](#) | [Award Notices](#)
 Monday, March 3, 2025 08:36 AM Venus Solano MNWD [» Log-out](#)

Bid Notice Abstract

[Detail Tracking Report](#)

Request for Quotation (RFQ)

Reference Number 11828924
Procuring Entity METROPOLITAN NAGA WATER DISTRICT
Title Procurement of Colilert (PR#02-02-0072)
Area of Delivery Camarines Sur

[Printable Version](#)

Solicitation Number:	RFQ 0026	Status	Active
Trade Agreement:	Implementing Rules and Regulations	Associated Components	1
Procurement Mode:	Negotiated Procurement - Small Value Procurement (Sec. 53.9)	Bid Supplements	0
Classification:	Goods	Document Request List	0
Category:	Laboratory Supplies and Equipment	Date Published	02/03/2025
Approved Budget for the Contract:	PHP 183,500.00	Last Updated / Time	02/03/2025 12:00 AM
Delivery Period:	30 Day/s	Closing Date / Time	05/03/2025 1:00 PM
Client Agency:			
Contact Person:	Venus C. Solano Procurement Analyst A 40 J.Miranda Ave., Naga City Camarines Sur Philippines 4400 63-54-4737813 Ext.117 63-54-4739288 mnwdbac@yahoo.com		

Description

ITEM NO. ITEM & DESCRIPTION QTY UNIT UNIT PRICE TOTAL COST

1 COLILERT 18 (200pcs per box)
 - detects both Total coliforms and Escherichia coli in water or fecal coliforms for drinking water
 - based on the detection of B-D galactosidase and B-glucuronidase enzyme using chromogenic and fluorogenic substrate in just 18 hours
 - For 100mL water samples
 - Expiration: 6months - 1 year upon date of delivery 1 box

2 Colilert 18, Quanti Tray, 51 wells (100pcs per box)
 - Quanti-tray has 51 wells and provides counts from 1 to 200/100ml
 - The Quantitray is designed to give quantitative bacterial counts of 100ml samples. This item is used with the Quanti-Tray sealer.
 - Expiration: 6months - 1 year upon date of delivery 2 boxes

3 Colilert 18, Quanti Tray comparator
 - One 100 ml bottle comparator for distinguishing threshold positive results from negative results.
 Shelf Life: Up to 12 months at 15-30 °C
 - Expiration: 6 months - 1 year upon date of delivery 1 pc

TOTAL

Note:

- VAT Inclusive
 - FOB, MNWD, Naga City
 - Partial Delivery shall not be accepted
- Documentary Requirements to submit:
- Mayor's/Business Permit
 - PhilGEPS Registration Number / Certificate of Platinum Membership
 - Income/Business Tax Returns (for ABCs above Php 500k)
- Incomplete or non-submission of the required Documentary Requirements shall be automatically disqualified
- Notarized Omnibus Sworn Statement
- The supplier may submit NOSS on the date of accomplishing this document (RFQ) or prior to the preparation of award

Line Items

Item No.	Product/Service Name	Description	Quantity	UOM	Budget (PHP)
----------	----------------------	-------------	----------	-----	--------------